




MEZGLS "10"




GRIEZUMS 1-1



Nr. poz.	Apz m jumi	Nosaukums	Daudzums uz mezgliu	Vien bas svais kg	M r v.
		<u>Mont žas vien bas</u>			
1		Izol tais v rsis Ø 324/500 ar 2 ner s još t rauda servisa kr niem Ø33/110(atgaisošana),ar ner s još t rauda v t u kor i(h=750mm,L=2000mm)	2		gab.
2	SIA "FIL "	L ka 800/1000mm	2		gab.
3	SIA "Lugaži"	Pamatu bloks FBS-24-3-6 T	2		gab.
4	sk.BK da u	Monol ta dz/betona pl the P1 2300x2400 ar 2atv.	1		gab.
5	sk.BK da u	Monol ts dzelzsbetona gredzens G1	2		gab.
		<u>Materi li</u>			
	Betons kl.C-16/20		0.26		m³
	Š mbu pamatsl nis		0.52		m³
	Hidroizol cijas mastika TechnoNICOL Nr.24(MGTN)		22.0		m²

Grodus, pamatu blokus,pl tnes, kas atrodas zem , no ab m pus m
nol t ar bituma hidroizol ciju.

				KOMUNĀLPROJEKTS			
				BŪVKOMERSANTA			
				REĢISTR. NR. 2687 - R			
Amats		Uzv rds		Paraksts		Datums	
B. vprda. vad.		A. i ajevs		07.01.2019			
Proj.		M.Lasinska		07.01.2019			
Atr. reg. Nr.		Uzv rds		Paraksts		Datums	
				Lapas saturs			
				Mezģis "10"			
		Pas t t js		Pas t juma Nr.		18-26-001/2	
				M roģs		Stadija	
				M1:50		BP	
				Lapas Nr.		Lapu sk.	
				SAT-28			