


1	<p><b>ALPHA2 25-80 N 180</b></p>  <p>: <a href="#">98676783</a></p> <ul style="list-style-type: none"> <li>AUTOADAPT</li> <li></li> <li></li> <li>3/</li> <li>(EEI) -</li> <li>( N)</li> <li>Energieeinsparverordnung - EnEV § 14 (3).</li> <li></li> <li></li> <li>ALPHA.</li> <li>ALPHA2</li> <li></li> <li></li> <li></li> <li></li> <li></li> <li>&lt;0,8</li> <li>: 0.. 110 °C</li> <li>60 °C</li> <li>983.2 / 3</li> <li>: 1 2/</li> <li>: 1.26 3/</li> <li>: 5.01</li> <li>TF : 110</li> <li>: VDE,GS,CE</li> <li>: EN 1.4308</li> </ul>
---	--

ASTM 351 CF8  
PES 30%GF

: 0 .. 40 °C

10.2  
G 1 1/2  
PN 10  
180

-P1: 3 .. 50  
50 Hz  
1 x 230 V  
: 0.04 .. 0.44 A  
(IEC 34-5): X4D  
(IEC 85): F

(EEI): 0.18  
2.18  
2.3  
0.96 <sup>3</sup>

## 98676783 ALPHA2 25-80 N 180 50

