

Siltumnīcefekta gāzu emisiju samazināšana ar viedajām apgaismojuma tehnoloģijām Daugavpils pilsētā



Saturs

- 1 1
- 1 1 1
- 1 1 1
- 1
- 1
- 1 1
- 1 1
- 1 1 1

Galvenās izvēlnes

1

1

1

1

1

Galvenās izvēlnes

[illegible]

Pārskata skats


1

1


1

1

1



Pārskats




Kartes skats

1

1

1 1




1



Sākotnējais ekrāns




Darbību izvēlne




Konkrēta apgabala aplūkošana

1 1
1 1 1
1 1 1



Uzstādīto enerģijas profilu aplūkošana



Kartes aero skats


1

1 11
11



Grafiskā mērījumu vēsture

1 1 1 1
1 1 1 1 1
1




Virsvadība

1

1

Virsvadība

-



Automātiskie kalendāru profili

1

1

1

1


1

1

1


Kalendāru saraksts

- 1 1 1 1 1 1
- 1
- 1
- 1 1
- 1 1




Kalendāra noteikumi

- 1 1 1 1
- 1 1 1 1
- 1 1
- 1
- 1 1 1 1
- 1 1 1 1
- 1





Kalendāra kontroles programma

- 1 1 1
- 1 1 1
- 1 1 1 1 1
- 1 1 1 1 1 1 1
- 1 1 1 1 1 1 1 1 1




Kalendāra uzstādīšana gaismekļiem



Segmenta kontrolieris

1


1



1

1

Releju vadība



Device ID

DEV:TBb53cf547ec3c4e00b722adafb329847f
SC1

Status

Off

Device Type

Segment controller

Overview

Metering data

Information

Alarms

RO1 contactor control:

Inverted: No ☐ Yes

Mode: Auto ☐ Manual

Auto control by: Daugavpils_Releji

Status: OFF ☐ ON

RO2 contactor control:

Inverted: No ☐ Yes

Mode: Auto ☐ Manual

Auto control by: -

Status: OFF ☐ ON

RO3 contactor control:

Inverted: No ☐ Yes

Mode: Auto ☐ Manual

Auto control by: -

Status: OFF ☐ ON

RO4 contactor control:

Inverted: No ☐ Yes

Mode: Auto ☐ Manual

Auto control by: Daugavpils

Status: OFF ☐ ON

Door opened:

Surge protector condition:


MOVE DEVICE

DRAW POWERLINES

DELETE POWERLINES

DELETE

Mērījumu dati



Device ID

DEV:TBb53cf547ec3c4e00b722adafb329847f

SC1

Status

Off

Device Type

Segment controller

Overview

Metering data

Information

Alarms

Controller Health

Actual value

Thresholds

Updated At

Communication (%)

21

10

..

Fri, 15 Jan 2021 12:28:27

Temperature (°C)

40

Fri, 15 Jan 2021 12:28:27

Relays

R01 (-)

Off

R02 (-)

Off

R03 (-)

Off

R04 (-)

Off

Digital Inputs

DI0 (-)

Off

DI2 (-)

Off

DI3 (-)

Off

DI4 (-)

Off

Energy Meter

Energy (kWh)

Operating Hours (h)

Informācija

- [illegible]

Device ID

DEV:TBb53cf547ec3c4e00b722adafb329847f

SC1

Status

Off

Device Type

Segment controller

Overview

Metering data

Information

Alarms

Last Update:

Fri, 15 Jan 2021 11:58:20

Model:

SC3M24UL8-868-44

Serial:

355855056440066

Address:

DEV:TBb53cf547ec3c4e00b722adafb329847f

Location GPS:

55.901844, 26.534103

Installed:

Wed, 27 May 2020

hwVersion:

SC_GSM_v2

swVersion:

3.24.4-4a356fa_LV_DGVPLS_full_a

Label:

SC1

Save

Brīdinājumi

- -
 -
 -
 -
- 1
- 1
- 1
- 1
- 1
- 1
- 1

Device ID		Status	Device Type
DEV:TBb53cf547ec3c4e00b722adafb329847f SC1		Off	Segment controller
Overview		Metering data	Information
		Alarms	
Value	Level	Time	Resolved
communicationQualityGSMTooHigh	Critical	Fri, 15 Jan 2021 10:13:44	No
httpFailed	Notification	Fri, 15 Jan 2021 01:03:07	No
softwareUpdating	Critical	Mon, 11 Jan 2021 12:05:04	Mon, 11 Jan 2021 12:11:58
deviceReset	Critical	Fri, 08 Jan 2021 08:56:48	Fri, 08 Jan 2021 09:51:24
deviceSoftwareUpdated	Notification	Wed, 26 Aug 2020 17:37:32	Wed, 26 Aug 2020 20:37:24
fotaFailed	Notification	Fri, 31 Jul 2020 15:30:22	Wed, 05 Aug 2020 09:03:34
contactorIsOn	Notification	Tue, 17 Mar 2020 14:47:53	Wed, 05 Aug 2020 08:03:37

Brīdinājumu vēsture

1
1 1 1 1
1 1

Event History		
#	Event	Time
1	deviceSoftwareUpdated	Mon, 11 Jan 2021 12:11:58
2	deviceSoftwareUpdated	Mon, 11 Jan 2021 00:34:09
3	deviceSoftwareUpdated	Fri, 08 Jan 2021 16:02:15
4	deviceSoftwareUpdated	Tue, 29 Dec 2020 19:05:44
5	deviceSoftwareUpdated	Sat, 12 Dec 2020 14:48:00
6	deviceSoftwareUpdated	Fri, 04 Dec 2020 15:40:02
7	deviceSoftwareUpdated	Fri, 20 Nov 2020 09:53:29
8	deviceSoftwareUpdated	Wed, 07 Oct 2020 13:01:07
9	deviceSoftwareUpdated	Mon, 14 Sep 2020 14:47:09
10	deviceSoftwareUpdated	Tue, 08 Sep 2020 02:43:48
11	deviceSoftwareUpdated	Mon, 07 Sep 2020 23:27:08
12	deviceSoftwareUpdated	Mon, 31 Aug 2020 20:12:19
13	deviceSoftwareUpdated	Fri, 28 Aug 2020 19:04:10
14	deviceSoftwareUpdated	Wed, 26 Aug 2020 17:37:32

Device ID		Status	Device Type	
DEV:TBb53cf547ec3c4e00b722adafb329847f SC1		Off	Segment controller	
Overview		Metering data		Information
				Alarms
Value	Level	Time		Resolved
communicationQualityGSMTooHigh	Critical	Fri, 15 Jan 2021 10:13:44		No
httpFailed	Notification	Fri, 15 Jan 2021 01:03:07		No
softwareUpdating	Critical	Mon, 11 Jan 2021 12:05:04	Mon, 11 Jan 2021 12:11:58	
deviceReset	Critical	Fri, 08 Jan 2021 08:56:48	Fri, 08 Jan 2021 09:51:24	
deviceSoftwareUpdated	Notification	Wed, 26 Aug 2020 17:37:32	Wed, 26 Aug 2020 20:37:24	
fotaFailed	Notification	Fri, 31 Jul 2020 15:30:22	Wed, 05 Aug 2020 09:03:34	
contactorIsOn	Notification	Tue, 17 Mar 2020 14:47:53	Wed, 05 Aug 2020 08:03:37	

Uzdevuma uzdošana

New Task

Task for device: DEV:TBb53cf547ec3c4e00b722adafb329847f

Title *

Problēma ar GMS signālu

Description

GSM signāls bieži ir ar sliktu kvalitāti, pārbaudīt SC antenu.

Status *

New

Priority *

High

Assignee

installer

Task messages *

Add new

Device ID

DEV:TBb53cf547ec3c4e00b722adafb329847f
SC1

Status

Off

Device Type

Segment controller

Overview

Metering data

Information

Alarms

Value	Level	Time	Resolved
communicationQualityGSMTTooHigh	Critical	Fri, 15 Jan 2021 10:13:44	No
httpFailed	Notification	Fri, 15 Jan 2021 01:03:07	No
softwareUpdating	Critical	Mon, 11 Jan 2021 12:05:04	Mon, 11 Jan 2021 12:11:58
deviceReset	Critical	Fri, 08 Jan 2021 08:56:48	Fri, 08 Jan 2021 09:51:24
deviceSoftwareUpdated	Notification	Wed, 26 Aug 2020 17:37:32	Wed, 26 Aug 2020 20:37:24
fotaFailed	Notification	Fri, 31 Jul 2020 15:30:22	Wed, 05 Aug 2020 09:03:34
contactorIsOn	Notification	Tue, 17 Mar 2020 14:47:53	Wed, 05 Aug 2020 08:03:37

Gaismekļa kontrolieris

1

1

1

1

1

1

1

Gaismekļa vadība (1/2)

Device ID	Status	Device Type
dev:lc04584 4584	Off	Luminaire

Overview	Metering data	Information	Alarms
Light state: OFF Working status: AUTO ☐ MANUAL ☐ Target brightness level: 0% 70% 100% Feedback brightness level: 0% Profile: LC 70% Individual profile: - Orientation: 0 °			

MOVE DEVICE
DELETE

Gaismekļa vadība (2/2)

- 1 1
- 1 1 1 1
- 1 1
- 1 1

Device ID

dev:lc04584
4584

Status

Off

Device Type

Luminaire

Overview

Metering data

Information

Alarms

Light state:

OFF

Working status:

AUTO

MANUAL

Target brightness level:

0%

70%

100%

Feedback brightness level:

0%

Profile:

LC 70%

Individual profile

-

Orientation

0

°

MOVE DEVICE

DELETE

Mērījumu dati

- 1
- 1 1
- 1
- 0
- 1 1
- 1 1
- 1 1

Device ID

Status

Device Type

dev:lc04584
4584

Off

Luminaire

Overview

Metering data

Information

Alarms

Controller Health	Actual value	Thresholds	Updated At
Communication (%)	0	1 ..	Fri, 15 Jan 2021 12:13:14
Temperature (°C)		.. 50	
Luminaire			
Brightness Level (%)	0	20 ..	Fri, 15 Jan 2021 12:13:14
Motion Sensor			
Counted Objects (-)	0	.. 100	Fri, 15 Jan 2021 12:13:14

Save

Informācija

-
- The diagram shows a grid of dots arranged in 10 rows and 10 columns. Some dots are replaced by the number 1, forming a pattern. The positions of the 1s are as follows:
- | Row \ Column | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|--------------|---|---|---|---|---|---|---|---|---|----|
| 1 | • | • | • | • | • | • | • | • | • | • |
| 2 | • | • | • | • | • | • | • | • | • | • |
| 3 | • | • | • | • | • | • | • | • | • | • |
| 4 | • | • | • | • | • | • | • | • | • | • |
| 5 | • | • | • | • | • | • | • | • | • | • |
| 6 | • | • | • | • | • | • | • | • | • | • |
| 7 | • | • | • | • | • | • | • | • | • | • |
| 8 | • | • | • | • | • | • | • | • | • | • |
| 9 | • | • | • | • | • | • | • | • | • | • |
| 10 | • | • | • | • | • | • | • | • | • | • |
- The 1s are located at the following (Row, Column) positions:
- (1, 1), (1, 2), (1, 3), (1, 4), (1, 5), (1, 6), (1, 7), (1, 8), (1, 9), (1, 10)
 - (2, 1), (2, 2), (2, 3), (2, 4), (2, 5), (2, 6), (2, 7), (2, 8), (2, 9), (2, 10)
 - (3, 1), (3, 2), (3, 3), (3, 4), (3, 5), (3, 6), (3, 7), (3, 8), (3, 9), (3, 10)
 - (4, 1), (4, 2), (4, 3), (4, 4), (4, 5), (4, 6), (4, 7), (4, 8), (4, 9), (4, 10)
 - (5, 1), (5, 2), (5, 3), (5, 4), (5, 5), (5, 6), (5, 7), (5, 8), (5, 9), (5, 10)
 - (6, 1), (6, 2), (6, 3), (6, 4), (6, 5), (6, 6), (6, 7), (6, 8), (6, 9), (6, 10)
 - (7, 1), (7, 2), (7, 3), (7, 4), (7, 5), (7, 6), (7, 7), (7, 8), (7, 9), (7, 10)
 - (8, 1), (8, 2), (8, 3), (8, 4), (8, 5), (8, 6), (8, 7), (8, 8), (8, 9), (8, 10)
 - (9, 1), (9, 2), (9, 3), (9, 4), (9, 5), (9, 6), (9, 7), (9, 8), (9, 9), (9, 10)
 - (10, 1), (10, 2), (10, 3), (10, 4), (10, 5), (10, 6), (10, 7), (10, 8), (10, 9), (10, 10)

Device ID

Status

Device Type

dev:lc04584
4584

Off

Luminaire

Overview

Metering data

Information

Alarms

Last Update:

Fri, 15 Jan 2021 12:28:11

Model:

MSLC205R

Serial:

FF01112252202020514E5334A10C932A

Address:

dev:lc04584

SC Address:

DEV:TBb53cf547ec3c4e00b722adafb329847f

Location GPS:

55.902085704805, 26.534055402895

Installed:

Fri, 06 Mar 2020

hwVersion:

1.00ZHAGA

swVersion:

1.9.5B

Label:

4584

Save

Brīdinājumi

- -
 -
 -
 -
- 1
- 1
- 1
- 1
- 1
- 1
- 1

Device ID	Status	Device Type	
dev:lc04584 4584	Off	Luminaire	
Overview	Metering data	Information	Alarms
Value	Level	Time	Resolved
softwareUpdating	Critical	Tue, 08 Dec 2020 15:56:34	Tue, 08 Dec 2020 16:06:33
fotaFailed	Notification	Wed, 02 Dec 2020 11:04:30	No 

Brīdinājuma vēsture

1
1 1 1 1
1 1

Event History		
#	Event	Time
1	softwareUpdating	Tue, 08 Dec 2020 16:06:33
2	softwareUpdating	Tue, 08 Dec 2020 15:56:34
3	softwareUpdating	Sat, 05 Dec 2020 22:49:02
4	softwareUpdating	Sat, 05 Dec 2020 21:28:35
5	softwareUpdating	Wed, 02 Dec 2020 11:04:30
6	softwareUpdating	Wed, 02 Dec 2020 10:54:27
7	softwareUpdating	Sat, 26 Sep 2020 03:20:56
8	softwareUpdating	Sat, 26 Sep 2020 02:12:47
9	softwareUpdating	Sat, 12 Sep 2020 06:01:54
10	softwareUpdating	Sat, 12 Sep 2020 06:01:54
11	softwareUpdating	Wed, 26 Aug 2020 01:40:39
12	softwareUpdating	Tue, 25 Aug 2020 23:22:38

Device ID	Status	Device Type	
dev:lc04584 4584	Off	Luminaire	
Overview		Metering data	Information
Alarms			
Value	Level	Time	Resolved
softwareUpdating	Critical	Tue, 08 Dec 2020 15:56:34	Tue, 08 Dec 2020 16:06:33
fotaFailed	Notification	Wed, 02 Dec 2020 11:04:30	No

Uzdevuma uzdošana

New Task

Task for device: DEV:TBb53cf547ec3c4e00b722adafb329847f

Title *

Problēma ar GMS signālu

Description

GSM signāls bieži ir ar sliktu kvalitāti, pārbaudīt SC antenu.

Status *

New

Priority *

High

Assignee

installer

Task messages *

[Add new](#)

Device ID	Status	Device Type	
dev:lc04584 4584	Off	Luminaire	
Overview	Metering data	Information	Alarms
Value	Level	Time	Resolved
softwareUpdating	Critical	Tue, 08 Dec 2020 15:56:34	Tue, 08 Dec 2020 16:06:33
fotaFailed	Notification	Wed, 02 Dec 2020 11:04:30	No
			

Gāzu sensori


1

1

1

Gāzu sensora dati

- 1 1 1 1 1 1
- 1
-
- 1
- 1
- 1 1
- 1
- 1
- 1
- 1 1 1 1 1 1 1
- 1 1 1 1 1 1 1



Atskaites

1

1

1

Atskaites

Report type

☒ Energy & Econom report ☐ Alarms report

Location

Filter by location...

Date from

01.2020



Date to

01.2021



Output format

☒ HTML ☐ PDF ☐ CSV

Generate report

Citas pārvaldības iespējas

1

1

1

1

Papildus iespējas

- [illegible]